



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/807,643	03/23/2004	Aaron V. Kaplan	015471-000910US	3899

7590 02/26/2008
GERARD VON HOFFMANN, III, ESQ.
KNOBBE, MARTENS, OLSEN & BEAR LLP
2040 MAIN STREET,
14TH FLOOR
IRVINE, CA 92614

EXAMINER

SCHILLINGER, ANN M

ART UNIT	PAPER NUMBER
----------	--------------

3774

MAIL DATE	DELIVERY MODE
-----------	---------------

02/26/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/807,643	Applicant(s) KAPLAN ET AL.	
	Examiner ANN SCHILLINGER	Art Unit 3774	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 December 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 23,24 and 27-61 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 23,24 and 27-61 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>12/21/07</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 23, 24, and 27-61 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shaknovich (U.S. Pat. No. 5,749,890). Shaknovich discloses the following: a prosthesis (1) for placement at an os opening from a main body lumen to a branch body lumen; said prosthesis utilizing a balloon catheter and comprising: a radially expansible scaffold (16) having at least a first wall pattern; and at least five, congruent circumferential anchors (6A, 30) having a second wall pattern extending axially from an end of the scaffold. The position of the prosthesis will maintain the flow path in the main body lumen between the anchors and beyond the ostium opening. Shaknovich also discloses using radiopaque markers on the prosthesis. (col. 10, lines 58-64). The device disclosed by Shaknovich would be capable of moving from a branch vessel to a main vessel and vice versa. It has been held that the recitation that an element is capable of performing a function is not a positive limitation but requires only the ability to so perform. As described by Shaknovich, the stent will be activated by stent deployment has been achieved by withdrawing the balloon (11) into the deployment segment (2). The balloon is inflated (11A), thereby expanding the expandable stent-bearing portion (5A) and expanding and deploying the stent (6A). Note that the activated forward break segment (3F) prevents the guiding catheter (16), positioned in the parent conduit vessel

Art Unit: 3738

(15), from damaging or dislodging the expanded stent (6A). The forward break segment has been deactivated (3E) prior to withdrawal of the guide wire (14), balloon catheter (12), guiding catheter (16), and ostial shuttle stent delivery system (1) from the patient (please see Figures 14 and 15).

Shaknovich discloses the invention substantially as claimed, however, Shaknovich does not disclose the device's specific axial length as claimed by the Applicant. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use the claimed axial lengths on the device, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art.

Response to Arguments

Applicant's arguments with respect to claims 23, 24, and 27-61 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANN SCHILLINGER whose telephone number is (571)272-6652. The examiner can normally be reached on Mon. thru Fri. 9 a.m. to 4 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (571) 272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3738

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ann Schillinger
February 16, 2008

/Corrine M McDermott/
Supervisory Patent Examiner, Art Unit 3738